

	Application No.	Applicant(s)
Notice of Allowability	10/826,556	LIPTON ET AL.
	Examiner	Art Unit
	Jack Dinh	2873
The MAILING DATE of this communication apperation apperation apperation being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF of the Office or upon petition by the applicant. See 37 CFR 1.3131. This communication is responsive to 09/30/04. 2. The allowed claim(s) is/are 1-7.	(OR REMAINS) CLOSED or other appropriate comm IGHTS. This application is and MPEP 1308.	in this application. If not included nunication will be mailed in due course. THIS
3. The drawings filed on <u>30 September 2004</u> are accepted by		
4. Acknowledgment is made of a claim for foreign priority ur a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give 6. CORRECTED DRAWINGS (as "replacement sheets") mus (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t 7. DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT	e been received. e been received in Applicate cuments have been received of this communication to find this application. e been received in Application of this communication to find this application. e been received in Application of this communication to find this application. e been received in Application of this communication to find this application. e been received in Application of this communication to find this application. e been received in Application of this communication to find this application. e been received in Application of this application to find this application to find this application. e been received in Application of this application to find this application to find this application.	ion No ed in this national stage application from the le a reply complying with the requirements KAMINER'S AMENDMENT or NOTICE OF or declaration is deficient. ew (PTO-948) attached or in the Office action of the drawings in the front (not the back) of FR 1.121(d).
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0	6. ⊠ Interview S Paper No	nformal Patent Application (PTO-152) Summary (PTO-413), b./Mail Date <u>0605</u> . s Amendment/Comment
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ⊠ Examiner' 9. □ Other	Georgia Epps Supervisory Patent Examiner Technology Center 2800

Application/Control Number: 10/826,556 Page 2

Art Unit: 2873

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Richard A. Nebb on 06/22/05. The application has been amended as follows:

In the claims:

Claim 1. (Currently Amended) An image viewing system, comprising:

a lenticular sheet, and

a neutralizing sheet having a pliable portion, said neutralizing sheet being movable between a first position, wherein the neutralizing sheet is pressed into intimate juxtaposition with the lenticular sheet such that the pliable portion deforms to assume assumes the shape of the lenticular sheet, and a second position, wherein the neutralizing sheet is separated from the lenticular sheet.

REASONS FOR ALLOWANCE

2. Claims 1-7 are allowed. The following is a statement of the examiner's reasons for allowance. The present application relates to a neutralizing sheet for an autostereoscopic image viewing system. Regarding claims 1 and 3, the prior art fails to disclose a neutralizing sheet having a pliable portion deforms to assume the shape of the lenticular sheet in the first position.

Application/Control Number: 10/826,556 Page 3

Art Unit: 2873

The claimed invention is therefore considered to be in condition for allowance as being novel

and non-obvious over prior art.

3. The prior art taken either singly or in combination fails to anticipate or fairly suggest the

limitations of the independent claims, in such a manner that a rejection under 35 USC 102 or 103

would be improper. Any comments considered necessary by applicant must be submitted no

later than the payment of the issue fee and, to avoid processing delays, should preferably

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement

of Reasons for Allowance."

Other Information/Remarks

4. The prior art made of record and not relied upon is considered pertinent to applicant's

disclosure. Eichenlaub (US Patent 5,500,765) discloses a similar image viewing system.

However, Eichenlaub does not disclose a neutralizing sheet having a pliable portion that deforms

to assume the shape of the lenticular sheet upon contact. Kayashima et al. (US Patent 6,133,928)

discloses a flexible layer adjacent to the lenticular sheet. However, Kayashima's flexible

member does not fully deform to assume the shape of the lenticular.

5. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Jack Dinh whose telephone number is 571-272-2327. The

examiner can normally be reached on M-F (9:30 AM - 6:00 PM).

Application/Control Number: 10/826,556

Art Unit: 2873

556 Page 4

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Georgia Y. Epps can be reached on 571-272-2328. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Jack Dinh

Georgia Epps
Supervisory Patent Examiner
Technology Center 2800